L Number	Hits	Search Text	DB	Time stamp
1	0	<pre>(integrat\$ near5 (framework\$1 architecture\$1 system\$1)) and (network adj3 layter\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:04
2	0	<pre>(integrat\$ near5 (framework\$1 architecture\$1 system\$1)) and (network near3 layter\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:04
3	2028	<pre>(integrat\$ near5 (framework\$1 architecture\$1 system\$1)) and (network adj3 layer\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:04
4	481	<pre>((integrat\$ near5 (framework\$1 architecture\$1 system\$1)) and (network adj3 layer\$1)) and ((translat\$3 convert\$3) with protocol\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:05
5	85	<pre>(((integrat\$ near5 (framework\$1 architecture\$1 system\$1)) and (network adj3 layer\$1)) and ((translat\$3 convert\$3) with protocol\$1)) and ((common</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:25
6	3286	<pre>generic) adj2 protocol\$1) 709/\$.ccls. and (integrat\$ near3 (framework\$1 architecture system\$1))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:27
7	11	(709/\$.ccls. and (integrat\$ near3 (framework\$1 architecture system\$1))) and ((translat\$3 convert\$3) near3 protocol\$1) same ((common generic) adj2 protocol\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:28
8	30	(709/\$.ccls. and (integrat\$ near3 (framework\$1 architecture system\$1))) and ((translat\$3 convert\$3) near3 protocol\$1) and ((common generic) adj2 protocol\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:31
9	2571	709/223.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:31
10	27	709/223.ccls. and (integrat\$3 near3 framework\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:31
11	5	(709/223.ccls. and (integrat\$3 near3 framework\$1)) and ((translat\$3 convert\$3) with protocol\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:33
12	318	709/223.ccls. and ((translat\$3 convert\$3) with protocol\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:36
13	28	(709/223.ccls. and ((translat\$3 convert\$3) with protocol\$1)) and ((common generic) adj2 protocol\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/01 13:38
14	93	(709/223.ccls. and ((translat\$3 convert\$3) with protocol\$1)) and (integrat\$ with (application\$1 program\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/01 13:39

Search History 3/1/04 1:44:07 PM Page 1

_	0	(integrat near5 (framework\$1	USPAT;	2003/09/04
		architecture\$1 system\$1)) and layer\$1	US-PGPUB; EPO; JPO;	13:19
			DERWENT;	
			IBM TDB	
ł –	3	(integrat near5 (framework\$1	USPĀT;	2003/09/02
		architecture\$1 system\$1))	US-PGPUB;	14:18
			EPO; JPO;]
			DERWENT;	
	125045	/introducts name (formation):01	IBM_TDB USPAT;	2004/03/01
-	123043	<pre>(integrat\$ near5 (framework\$1 architecture\$1 system\$1))</pre>	US-PGPUB;	13:04
		architecture()	EPO; JPO;	13.04
			DERWENT;	
			IBM_TDB	
-	33559		USPAT;	2003/09/02
	·	architecture\$1 system\$1))) and layer\$1	US-PGPUB;	14:19
			EPO; JPO;	
			DERWENT;	
	18022	((integrat\$ near5 (framework\$1	IBM_TDB USPAT;	2003/09/02
-	10022	architecture\$1 system\$1))	US-PGPUB;	14:25
		same (framework\$1 system\$1	EPO; JPO;	11100
		architecture\$1))	DERWENT;	
			IBM_TDB	
-	93806	, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/09/02
1		architecture\$1 system\$1))	US-PGPUB;	14:20
			EPO; JPO; DERWENT;	
			IBM TDB	
_	5137	((integrat\$3 near3 (framework\$1	USPAT;	2003/09/02
] 313,	architecture\$1 system\$1))) and (layer\$1	US-PGPUB;	14:21
		near5 (framework\$1 system\$1	EPO; JPO;	ĺ
	-	architecture\$1))	DERWENT;	
			IBM_TDB	/ /
-	2220		USPAT;	2003/09/02
İ	1	architecture\$1 system\$1))) and (layer\$1 near5 (framework\$1 system\$1	US-PGPUB; EPO; JPO;	14:21
		architecture\$1))) and ((component\$1	DERWENT;	
		module\$1 application\$1 program\$1) near5	IBM TDB	
		integrat\$3)	_	
_	1140	((((integrat\$3 near3 (framework\$1	USPAT;	2003/09/02
		architecture\$1 system\$1))) and (layer\$1	US-PGPUB;	14:27
l		near5 (framework\$1 system\$1	EPO; JPO;	
		architecture\$1))) and ((component\$1 module\$1 application\$1 program\$1) near5	DERWENT; IBM_TDB	
	1	integrat\$3)) and ((translat\$3 convert\$3	1611_106	
		format\$4) near3 (message\$1 data		
		request\$1))		
-	737		USPAT;	2003/09/02
		architecture\$1 system\$1))) and (layer\$1	US-PGPUB;	14:27
		near5 (framework\$1 system\$1	EPO; JPO;	
		architecture\$1))) and ((component\$1 module\$1 application\$1 program\$1) near5	DERWENT; IBM TDB	
		integrat\$3)) and ((translat\$3 convert\$3	1511_105	
	1	format\$4) near3 (message\$1 data		
		request\$1))) and application\$1 and		
	1	environment\$1 and content\$1 and network\$1		
-	27076	,	USPAT;	2003/09/02
	1	architecture\$1 system\$1)).ab.	US-PGPUB;	14:25
	1		EPO; JPO; DERWENT;	
			IBM TDB	
-	2131	((integrat\$ near5 (framework\$1	USPAT;	2003/09/02
		architecture\$1 system\$1)).ab.) and	US-PGPUB;	14:25
	!	(layer\$1 same (framework\$1 system\$1	EPO; JPO;	
		architecture\$1))	DERWENT;	
	<u> </u>		IBM_TDB	

-	199	((((integrat\$ near5 (framework\$1	USPAT;	2003/09/02
		architecture\$1 system\$1)).ab.) and	US-PGPUB;	14:28
		(layer\$1 same (framework\$1 system\$1	EPO; JPO;	
		architecture\$1))) and ((translat\$3	DERWENT;	
		convert\$3 format\$4) near3 (message\$1 data	IBM_TDB	
		request\$1))) and application\$1 and		
1		environment\$1 and content\$1 and network\$1		
	4.60		HCDAM.	1 2002 (00 (02
-	463		USPAT;	2003/09/02
		architecture\$1 system\$1)).ab.) and	US-PGPUB;	15:08
		(layer\$1 same (framework\$1 system\$1	EPO; JPO;	
		architecture\$1))) and ((translat\$3	DERWENT;	
		convert\$3 format\$4) near3 (message\$1 data	IBM_TDB	
		request\$1))	_	
_	182	709/310,328.ccls. and (integrat\$3 near3	USPAT;	2003/09/02
		(system\$1 framework\$1 architecture))	US-PGPUB;	15:18
		(2122042 22000 220 20 20 20 20 20 20 20 20 20 2	EPO; JPO;	
			DERWENT;	
	205	/	IBM_TDB	1 2002 (00 (02
-	305	(integrat\$3 near3 (framework\$1	USPAT;	2003/09/03
		architecture\$1 system\$1)) and (integrat\$3	US-PGPUB;	12:51
		near5 heterogeneous)	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	78	(integrat\$3 near3 (framework\$1	USPAT;	2003/09/03
]	architecture\$1 system\$1)) and (integrat\$3	US-PGPUB;	12:51
		near5 heterogeneous) and 709/\$.ccls.	EPO; JPO;	
			DERWENT;	j l
				1
		//	IBM_TDB	2002/00/02
-	661	(integrat\$3 near5 (framework\$1	USPAT;	2003/09/03
		architecture\$1 system\$1)) and	US-PGPUB;	13:10
		heterogeneous and database\$1 and replica\$	EPO; JPO;	
		•	DERWENT;	
			IBM TDB	i l
_	643	((integrat\$3 near5 (framework\$1	USPĀT;	2003/09/03
		architecture\$1 system\$1)) and	US-PGPUB;	13:10
		heterogeneous and database\$1 and	EPO; JPO;	'
		replica\$) and (convert\$3 translat\$3	DERWENT;	
		format\$4 conversion)	IBM TDB	
ļ	192		USPAT;	2003/09/03
-	192	(((integrat\$3 near5 (framework\$1	US-PGPUB;	13:10
		architecture\$1 system\$1)) and		13:10
		heterogeneous and database\$1 and	EPO; JPO;	1
		replica\$) and (convert\$3 translat\$3	DERWENT;	
		format\$4 conversion)) and gateway\$1	IBM_TDB	
-	46		USPAT;	2003/09/03
	1	architecture\$1 system\$1)).ab. and	US-PGPUB;	13:12
		heterogeneous and database\$1 and replica\$	EPO; JPO;	
	1		DERWENT;	
	1		IBM TDB	
_	44	((integrat\$3 near5 (framework\$1	USPAT;	2003/09/03
		architecture\$1 system\$1)).ab. and	US-PGPUB;	13:12
		heterogeneous and database\$1 and	EPO; JPO;	
	1	replica\$) and (convert\$3 translat\$3	DERWENT;	
	1			
		format\$4 conversion)	IBM_TDB	2002/00/02
-	16	1 , , =	USPAT;	2003/09/03
		architecture\$1 system\$1)).ab. and	US-PGPUB;	13:10
	1	heterogeneous and database\$1 and	EPO; JPO;	
		replica\$) and (convert\$3 translat\$3	DERWENT;	
		format\$4 conversion)) and gateway\$1	IBM_TDB	
-	178	(integrat\$3 near5 (framework\$1	USPĀT;	2003/09/03
		architecture\$1 system\$1)).ab. and	US-PGPUB;	13:12
		heterogeneous and protocol\$1	EPO; JPO;	
		The state of the s	DERWENT;	
			IBM TDB	
	165	//intograted noine /framericaled	USPAT;	2003/09/03
-	1 102	((integrat\$3 near5 (framework\$1		
		architecture\$1 system\$1)).ab. and	US-PGPUB;	13:12
[heterogeneous and protocol\$1) and	EPO; JPO;	
ĺ		(convert\$3 translat\$3 format\$4	DERWENT;]
		conversion)	IBM_TDB	<u> </u>

-	136	(((integrat\$3 near5 (framework\$1	USPAT;	2003/09/03
		architecture\$1 system\$1)).ab. and	US-PGPUB;	13:13
		heterogeneous and protocol\$1) and	EPO; JPO;	
		(convert\$3 translat\$3 format\$4	DERWENT;	
		conversion)) and connection\$1	IBM TDB	
l _	3		USPAT;	2003/09/03
		architecture\$1 system\$1)).ab. and	US-PGPUB;	13:14
i i	İ	heterogeneous and protocol\$1) and	EPO; JPO;	1
		(convert\$3 translat\$3 format\$4	DERWENT;	
•		conversion)) and (logical adj	IBM TDB	
		connection\$1)	1511_155	•
	60	(integrat\$3 near3 database\$1) and	USPAT;	2003/09/04
-	80	((central global) adj database\$1) and	US-PGPUB;	10:36
			EPO; JPO;	10.50
		replicat\$3		
			DERWENT;	
i			IBM_TDB	
-	4	(integrat\$3 near3 heterogeneous) and	USPAT;	2003/09/04
		(logical adj connection\$1) and	US-PGPUB;	10:38
		(translat\$3 near3 protocol\$1)	EPO; JPO;	
[DERWENT;	
			IBM_TDB	
-	1	(integrat\$3 near3 heterogeneous) and	USPAT;	2003/09/04
		connection\$1 and (translat\$3 near3	US-PGPUB;	10:40
		protocol\$1) and (network adj layer) and	EPO; JPO;	
		(data adj2 layer)	DERWENT;	
			IBM TDB	
_	1	(integrat\$3 near3 heterogeneous) and	USPAT;	2003/09/04
	_	connection\$1 and (translat\$3 near3	US-PGPUB;	10:40
		protocol\$1) and (network near2 layer) and	EPO; JPO;	İ
1		(data near2 layer)	DERWENT;	
		data near rayer,	IBM TDB	
_	9	(integrat\$3 near3 heterogeneous) and	USPAT;	2003/09/04
-	,	connection\$1 and (translat\$3 near3	US-PGPUB;	10:42
		protocol\$1) and network and (data near2	EPO; JPO;	10.12
			DERWENT;	
		layer)	IBM TDB	
	1.0	(integrat\$3 near3 heterogeneous) and	USPAT;	2003/09/04
-	19		US-PGPUB;	10:42
		connection\$1 and (translat\$3 near3	EPO; JPO;	10.42
		protocol\$1) and network	DERWENT;	
	1			
		// / / / / / / / / / / / / / / / / / / /	IBM_TDB	2002/00/04
-	920	(integrat\$3 near3 (framework\$1	USPAT;	2003/09/04
		architecture\$1 system\$1 application\$1))	US-PGPUB;	13:20
		and layer\$1 and ((translat\$3 convert\$3)	EPO; JPO;	
	i	near3 protocol\$1)	DERWENT;	l
			IBM_TDB	2002/02/24
–	425	(integrat\$3 near3 (framework\$1	USPAT;	2003/09/04
		architecture\$1 system\$1 application\$1))	US-PGPUB;	13:20
		and (layer\$1 near3 (data network)) and	EPO; JPO;	
	Į.	((translat\$3 convert\$3) near3 protocol\$1)	DERWENT;	
			IBM_TDB	
_	41	((integrat\$3 near3 (framework\$1	USPAT;	2003/09/04
		architecture\$1 system\$1 application\$1))	US-PGPUB;	13:25
		and (layer\$1 near3 (data network)) and	EPO; JPO;	
		((translat\$3 convert\$3) near3	DERWENT;	1
		protocol\$1)) and (logical adj2	IBM TDB	
		connection\$1)	_	
_	1	6041362.pn. and script	USPAT;	2003/09/04
1			US-PGPUB;	13:25
	!		EPO; JPO;	
			DERWENT;	
	1		IBM TDB	1
	L	<u> </u>	,	